



### MINI BONE PLATE CONTINUOUS HOLES

<b>Suitable for</b>	: Indicated for trauma, maxillofacial surgery, reconstructive surgery.
<b>Screw Ø</b>	: 1.5mm, 2.0mm & 2.5mm
<b>Material</b>	: Stainless Steel, Titanium Alloy (ISO 5832-3)
<b>Holes</b>	: 2, 3, 4, 5, 6, 8, 10, 12, 16, 20, 30, 50
<b>Mini Screw Single Slot Head</b>	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
<b>Mini Screw Cross Slot Head</b>	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)

### MINI BONE PLATE WITH BAR


<b>Suitable for</b>	: Indicated for trauma, maxillofacial surgery, reconstructive surgery.
<b>Screw Ø</b>	: 1.5mm, 2.0mm & 2.5mm
<b>Material</b>	: Stainless Steel, Titanium Alloy (ISO 5832-3)
<b>Holes</b>	: 2, 3, 4, 5, 6
<b>Mini Screw Single Slot Head</b>	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
<b>Mini Screw Cross Slot Head</b>	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)





### L SHAPE PLATE 90° WITH BAR (LEFT & RIGHT)

<b>Suitable for</b>	: Indicated for trauma, maxillofacial surgery, reconstructive surgery.
<b>Screw Ø</b>	: 1.5mm, 2.0mm & 2.5mm
<b>Material</b>	: Stainless Steel, Titanium Alloy (ISO 5832-3)
<b>Holes</b>	: 2 + 2, 2 + 3, 3 + 2, 3 + 3
<b>Mini Screw Single Slot Head</b>	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
<b>Mini Screw Cross Slot Head</b>	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)



### L SHAPE PLATE 90° WITHOUT BAR (LEFT & RIGHT)

<b>Suitable for</b>	: Indicated for trauma, maxillofacial surgery, reconstructive surgery.
<b>Screw Ø</b>	: 1.5mm, 2.0mm & 2.5mm
<b>Material</b>	: Stainless Steel, Titanium Alloy (ISO 5832-3)
<b>Holes</b>	: 2 + 2
<b>Mini Screw Single Slot Head</b>	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm)
<b>Mini Screw Cross Slot Head</b>	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm)


## L SHAPE PLATE 120° OBLIQUE WITH BAR (LEFT & RIGHT)

Suitable for	: Indicated for trauma, maxillofacial surgery, reconstructive surgery.
Screw Ø	: 1.5mm, 2.0mm & 2.5mm
Material	: Stainless Steel, Titanium Alloy (ISO 5832-3)
Holes	: 2 + 2, 2 + 3, 3 + 2, 3 + 3
Mini Screw Single Slot Head	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
Mini Screw Cross Slot Head	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)




## T SHAPE PLATE WITH BAR

Suitable for	: Indicated for trauma, maxillofacial surgery, reconstructive surgery.
Screw Ø	: 1.5mm, 2.0mm & 2.5mm
Material	: Stainless Steel, Titanium Alloy (ISO 5832-3)
Holes	: 2 + 2, 3 + 2, 3 + 3, 2 + 3
Mini Screw Single Slot Head	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
Mini Screw Cross Slot Head	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)




## X SHAPE PLATE


Suitable for	: Indicated for trauma, maxillofacial surgery, reconstructive surgery.
Screw Ø	: 1.5mm, 2.0mm & 2.5mm
Material	: Stainless Steel, Titanium Alloy (ISO 5832-3)
Holes	: STD.
Mini Screw Single Slot Head	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
Mini Screw Cross Slot Head	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)



## Y SHAPE PLATE

Suitable for	: Indicated for trauma, maxillofacial surgery, reconstructive surgery.
Screw Ø	: 1.5mm, 2.0mm & 2.5mm
Material	: Stainless Steel, Titanium Alloy (ISO 5832-3)
Holes	: 4, 5
Mini Screw Single Slot Head	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
Mini Screw Cross Slot Head	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)






## ORBITAL FLOOR PLATE

Suitable for	: Indicated for trauma, maxillofacial surgery, reconstructive surgery.
Screw Ø	: 1.5mm
Material	: Titanium Alloy (ISO 5832-3)
Holes	: STD.
Mini Screw Single Slot Head	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm)
Mini Screw Cross Slot Head	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm)


## I SHAPED PLATE

Suitable for	: Indicated for trauma, maxillofacial surgery, reconstructive surgery.
Screw Ø	: 1.5mm, 2.0mm & 2.5mm
Material	: Titanium Alloy (ISO 5832-3)
Holes	: 6
Mini Screw Single Slot Head	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
Mini Screw Cross Slot Head	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)



## TRIFIX PLATE (LEFT & RIGHT)

Suitable for	: Indicated for trauma, maxillofacial surgery, reconstructive surgery.
Screw Ø	: 1.5mm, 2.0mm & 2.5mm
Material	: Titanium Alloy (ISO 5832-3)
Holes	: 5
Mini Screw Single Slot Head	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
Mini Screw Cross Slot Head	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)



## MICRO MASTOID PLATE (LEFT & RIGHT)

Suitable for	: Indicated for trauma, maxillofacial surgery, reconstructive surgery.
Screw Ø	: 1.5mm
Material	: Titanium Alloy (ISO 5832-3)
Size	: Small & Big
Mini Screw Single Slot Head	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm)
Mini Screw Cross Slot Head	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm)




## SUB "Y" PLATE (LEFT & RIGHT)

Suitable for	: Indicated for trauma, maxillofacial surgery, reconstructive surgery.
Screw Ø	: 1.5mm, 2.0mm & 2.5mm
Material	: Titanium Alloy (ISO 5832-3)
Holes	: 7
Mini Screw Single Slot Head	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
Mini Screw Cross Slot Head	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)



## TWISTED PLATE (LEFT & RIGHT)

Suitable for	: Indicated for trauma, maxillofacial surgery, reconstructive surgery.
Screw Ø	: 1.5mm, 2.0mm & 2.5mm
Material	: Stainless Steel, Titanium Alloy (ISO 5832-3)
Holes	: 2, 3, 4, 5, 6
Mini Screw Single Slot Head	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
Mini Screw Cross Slot Head	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)



## RECONSTRUCTION PLATE FOR MANDIBLE

Suitable for	: Indicated for trauma, maxillofacial surgery, reconstructive surgery.
Screw Ø	: 1.5mm, 2.0 & 2.5mm
Material	: Stainless Steel, Titanium Alloy (ISO 5832-3)
Holes	: 8, 10, 12, 16, 20, 24, 30
Mini Screw Single Slot Head	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
Mini Screw Cross Slot Head	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)

## RECONSTRUCTION PLATE FOR MANDIBLE DOUBLE ANGLE


Suitable for	: Indicated for trauma, maxillofacial surgery, reconstructive surgery.
Screw Ø	: 1.5mm, 2.0mm & 2.5mm
Material	: Stainless Steel, Titanium Alloy (ISO 5832-3)
Holes	: 4 + 16 + 4, 4 + 20 + 4, 4 + 24 + 4, 4 + 28 + 4
Mini Screw Single Slot Head	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
Mini Screw Cross Slot Head	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)





## TMJ CONDYLE (LEFT & RIGHT)

Suitable for	: Indicated in ablative surgeries involving benign or malignant eoplastic tumors. These ablative surgeries often involve soft-tissue defects.
Screw Ø	: 1.5mm, 2.0mm & 2.5mm
Material	: Stainless Steel, Titanium Alloy (ISO 5832-3)
Holes	: Standard
Mini Screw Single Slot Head	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
Mini Screw Cross Slot Head	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)




## TMJ CONDYLE WITH RECONSTRUCTION ANGULAR PLATE (LEFT & RIGHT)

Suitable for	: Defect bridging of the skull & skull base, especially after tumor removal.
Screw Ø	: 1.5mm, 2.0mm & 2.5mm
Material	: Stainless Steel, Titanium Alloy (ISO 5832-3)
Holes	: 20 & 24
Mini Screw Single Slot Head	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
Mini Screw Cross Slot Head	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)

## WIRE MESH 0.5 MM THICKNESS

Suitable for	: Defect bridging of the skull & skull base, especially after tumor removal.
Screw Ø	: 1.5mm, 2.0mm & 2.5mm
Material	: Stainless Steel, Titanium Alloy (ISO 5832-3)
Size	: 1" X 1", 2" X 2", 2" X 3", 2" X 4", 3" X 4", 3" X 6", 4" X 4", 5" X 6", 6" X 6"
Mini Screw Single Slot Head	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
Mini Screw Cross Slot Head	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)



## EZY MASH

Suitable for	: Defect bridging of the skull & skull base, especially after tumor removal.
Screw Ø	: 1.5mm, 2.0mm & 2.5mm
Material	: Titanium Alloy (ISO 5832-3)
Size	: 2" X 2", 2" X 3", 2" X 4", 3" X 4", 3" X 6", 3" X 8", 4" X 4", 5" X 5", 5" X 6", 6" X 6"
Mini Screw Single Slot Head	: 1.5mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 16.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 16.0mm - Diff. 2.0mm)
Mini Screw Cross Slot Head	: 1.5mm (4.0mm to 8.0mm - Diff. 2.0mm) 2.0mm (4.0mm to 12.0mm - Diff. 2.0mm) 2.5mm (4.0mm to 12.0mm - Diff. 2.0mm)

## MINI SCREWS SINGLE SLOT HEAD REGULAR

Material	: Stainless Steel, Titanium Alloy (ISO 5832-3)
Dia.	: 1.5mm
Length	: 4.0mm to 12.0mm (Diff. 2.0mm)
Dia.	: 2.0mm
Length	: 4.0mm to 16.0mm (Diff. 2.0mm)
Dia.	: 2.5mm
Length	: 4.0mm to 16.0mm (Diff. 2.0mm)
Dia.	: 2.7mm
Length	: 4.0mm to 16.0mm (Diff. 2.0mm)



1.5mm 2.0mm 2.5mm



2.0mm 2.5mm

## INTERMAXILLARY FIXATION SCREWS (IMF) WITH HOLE

Suitable for	: Temporary maxillo mandibular fixation of the maxillo and mandible.
Material	: Stainless Steel, Titanium Alloy (ISO 5832-3)
Dia.	: 2.0mm
Length	: 4.0mm to 12.0mm (Diff. 2.0mm)
Dia.	: 2.5mm
Length	: 4.0mm to 12.0mm (Diff. 2.0mm)



2.0mm 2.5mm

## LAG SCREWS SINGLE SLOT HEAD

Suitable for	: Fixation of mandibular and condylar fractures and osteotomies
Material	: Stainless Steel, Titanium Alloy (ISO 5832-3)
Dia.	: 2.0mm
Length	: 4.0mm to 20.0mm (Diff. 2.0mm)
Dia.	: 2.5mm
Length	: 4.0mm to 20.0mm (Diff. 2.0mm)

## EMERGENCY SCREWS

Material	: Stainless Steel, Titanium Alloy (ISO 5832-3)
Dia.	: 1.7mm
Length	: 4.0mm to 14.0mm (Diff. 2.0mm)
Dia.	: 2.3mm
Length	: 4.0mm to 14.0mm (Diff. 2.0mm)
Dia.	: 2.7mm
Length	: 4.0mm to 14.0mm (Diff. 2.0mm)



Single Slot Cross Slot

## SELF DRILLING SCREWS CROSS SLOT HEAD

Material	: Titanium Alloy (ISO 5832-3)
Dia.	: 1.5mm
Length	: 4.0mm to 14.0mm (Diff. 1.0mm)
Dia.	: 2.0mm
Length	: 4.0mm to 14.0mm (Diff. 1.0mm)
Dia.	: 2.5mm
Length	: 4.0mm to 14.0mm (Diff. 1.0mm)



1.5mm 2.0mm 2.5mm